

40. Andresen, K. (1986) Das phasenshift verfahren zum moiré-bildauswehrtung. *Optik*, **72**, 115–119.
41. Buytaert, J.A.N., Aernouts, J.E.F., and Dirckx, J.J.J. (2009) Indentation measurements on the eardrum with automated projection moiré profilometry. *Opt. Lasers Eng.*, **47**, 301–309.
42. Buytaert, J.A.N. and Dirckx, J.J.J. (2008) Moiré profilometry using liquid crystals for projection and demodulation. *Opt. Express*, **16**, 179–193.
43. Buytaert, J.A.N. and Dirckx, J.J.J. (2010) Phase-shifting moiré topography using optical demodulation on liquid crystal matrices. *Opt. Lasers Eng.*, **48** (2), 172–181.
44. Dirckx, J.J.J., Buytaert, J.A.N., and Vander Jeught, S.A.M. (2010) Implementation of phase-shifting moiré profilometry on a low-cost commercial data projector. *Opt. Lasers Eng.*, **48** (2), 244–250.
45. Ghighlia, D. (1998) *Two-Dimensional Phase Unwrapping: Theory, Algorithms, and Software*, John Wiley & Sons, Inc.
46. Buytaert, J.A.N. and Dirckx, J.J.J. (2012) Phase-stepping algorithms: overview and simulations, *Interferometry Principles and Applications*, NOVA Science Publishers, in press. ISBN 978-1-61209-347-5.
47. Carré, P. (1966) Installation et utilisation du comparateur photoélectriqueet interférentiel du Bureau International des Poids et Mesures. *Metrologia*, **2**, 13–23.
48. Schmit, J. and Creath, K. (1995) Extended averaging technique for derivation of error-compensating algorithms in phase-shifting interferometry. *Appl. Opt.*, **34**, 3610–3619.
49. Hariharan, P. and Oreb, B.F. (1987) Digital phase-shifting interferometry: a simple error-compensating phase calculation algorithm. *Appl. Opt.*, **26**, 2504–2505.
50. Zhang, S., Li, X., and Yau, S.-T. (2007) Multilevel quality-guided phase unwrapping algorithm for real-time three-dimensional shape reconstruction. *Appl. Opt.*, **46**, 50–56.
51. Aernouts, J.E.F., Soons, J.A.M., and Dirckx, J.J.J. (2010) Quantification of tympanic membrane elasticity parameters from in situ point indentation measurements: validation and preliminary study. *Hear. Res.*, **263**, 177–182.
52. Osten, W., Nadeborn, W., and André, P. (1996) General hierarchical approach in absolute phase measurement. *Proc. SPIE*, **2860**, 2–13.
53. Zhao, H., Chen, W., and Tan, Y. (1994) Phase unwrapping algorithm for the measurement of three-dimensional object shapes. *Appl. Opt.*, **33**, 4497–4500.
54. Li, J.L., Su, H.J., and Su, X.Y. (1997) Two-frequency grating used in phase-measuring profilometry. *Appl. Opt.*, **36**, 277–280.
55. Ryu, W., Kang, Y., Baik, S.H., and Kang, S. (2008) A study on the 3-D measurement by using digital projection moiré method. *Optik*, **119**, 453–458.

Chapter 8

1. Thomson, W. (1855) On the thermoelastic properties of matter. *Q.J. Math.*, **1**, 57–77.
2. Jamieson, J.A., McFee, R.H., Plass, G.N., Grube, R.H., and Richards, R.G. (1963) *Infrared Physics and Engineering*, McGraw-Hill.
3. Nicholas, J.V. and White, D.R. (2001) *Traceable Temperatures*, 2nd edn, John Wiley & Sons, Ltd, Chichester.
4. Stanley, P. and Chan, W.K. (1984) Quantitative stress analysis by means of the thermoelastic effect. *J. Strain Anal. Eng.*, **20** (3), 129–137.
5. Stanley, P. and Chan, W.K. (1988) The application of thermoelastic stress analysis to composite materials. *J. Strain Anal. Eng.*, **23** (3), 137–142.
6. Potter, R.T. (1987) Stress analysis in laminated fibre composites by thermoelastic emission. Proceedings of the 2nd International Conference on Stress Analysis by Thermoelastic Techniques, SPIE Vol. 731, London.
7. Bakis, C.E. and Reifsnider, K.L. (1991) The adiabatic thermoelastic effect in laminated fiber composites. *J. Compos. Mater.*, **25**, 809–830.
8. Dulieu-Barton, J.M., Emery, T.R., Quinn, S., and Cunningham, P.R. (2006) A temperature correction methodology for

- quantitative thermoelastic stress analysis and damage assessment. *Meas. Sci. Technol.*, 17 (6), 1627–1637.
9. Dulieu-Smith, J.M. (1995) Alternative calibration techniques for quantitative thermoelastic stress analysis. *Strain*, 31 (1), 9–16.
 10. Whelan, M., Hack, E., Siebert, T., Burguete, R., Patterson, E., and Salem, Q. (2005) On the calibration of optical full-field strain measurement systems. *Appl. Mech. Mater.*, 3–4, 397–402.
 11. Dulieu-Smith, J.M., Quinn, S., Shenoi, R.A., Read, P.J.C.L., and Moy, S.S.J. (1997) Thermoelastic stress analysis of a GRP tee joint. *Appl. Compos. Mater.*, 4 (5), 283–303.
 12. Dulieu-Barton, J.M., Earl, J.S., and Shenoi, R.A. (2001) Determination of the stress distribution in foam-cored sandwich construction composite tee joints. *J. Strain Anal. Eng.*, 36 (6), 545–560.
 13. Boyd, S.W., Dulieu-Barton, J.M., and Rumsey, L. (2006) Stress analysis of finger joints in pultruded GRP material. *Int. J. Adhes. Adhes.*, 26 (7), 498–510.
 14. Emery, T.R., Dulieu-Barton, J.M., Earl, J.S., and Cunningham, P.R. (2008) A generalised approach to the calibration of orthotropic materials for thermoelastic stress analysis. *Compos. Sci. Technol.*, 68, 743–752.
 15. El-Hajjar, R. and Haj-Ali, R. (2003) A quantitative thermoelastic stress analysis method for pultruded composites. *Compos. Sci. Technol.*, 63 (7), 967–978.
 16. Pitarresi, G., Found, M.S., and Patterson, E.A. (2005) An investigation of the influence of macroscopic heterogeneity on the thermoelastic response of fibre reinforced plastics. *Compos. Sci. Technol.*, 65 (2), 269–280.
 17. Wang, W.J., Dulieu-Barton, J.M., and Li, Q. (2010) Assessment of non-adiabatic behaviour in thermoelastic stress analysis of small scale components. *Exp. Mech.*, 50, 449–461, doi:
 18. Wong, A.K. (1991) A non-adiabatic thermoelastic theory for composite laminates. *J. Phys. Chem. Solids*, 52 (3), 483–494.
 19. Lesniak, J.R. (1988) Internal stress measurement. *Proceedings of the 6th Congress on Experimental Mechanics, Portland, SEM, Bethel, CT.*
 20. Sathon, N. and Dulieu-Barton, J.M. (2007) Evaluation of sub-surface stresses using thermoelastic stress analysis. *Appl. Mech. Mater.*, 7–8, 153–158.
 21. Mackenzie, A.K. (1989) Effects of surface coating on infra-red measurements. *Proc. SPIE*, 1084, 59–71.
 22. Quinn, S. and Dulieu-Barton, J.M. (2002) Identification of the sources of non-adiabatic behaviour for practical thermoelastic stress analysis. *J. Strain Anal.*, 37, 59–72.
 23. Welch, C.S. and Zickel, M.J. (1993) Thermal coating characterization using thermoelasticity. *Rev. Prog. Quant. Non-destructive Eval.*, 12, 1923–1929.
 24. Robinson, A.F., Dulieu-Barton, J.M., Quinn, S., and Burguete, R.L. (2010) Paint coating characterisation for thermoelastic stress analysis. *Meas. Sci. Technol.*, 21, 085502.
 25. Wong, A.K., Sparrow, J.G., and Dunn, S. (1988) On the revised theory of the thermoelastic effect. *J. Phys. Chem. Solids*, 49, 395–400.
 26. Eaton-Evans, J.M., Dulieu-Barton, J.M., Little, E.G., and Brown, I.A. (2006) Thermoelastic Studies on Nitinol Stents. *J. Strain Anal. Eng. Des.*, 41, 481–495.
 27. Dulieu-Barton, J.M., Eaton-Evans, J., Little, E., and Brown, I. (2008) Thermoelastic stress analysis of vascular devices. *Strain*, 44, 102–118.
 28. Wong, A.K., Dunn, S.A., and Sparrow, J.G. (1988) Residual stress measurement by means of the thermoelastic effect. *Nature*, 332, 613–615.
 29. Patterson, E.A. (2007) The potential for quantifying residual stress using thermoelastic stress analysis. Proceedings of SEM Conference, Springfield, MA.
 30. Quinn, S., Dulieu-Barton, J.M., and Langlands, J.M. (2004) Progress in thermoelastic residual stress measurement. *Strain*, 40, 127–133.
 31. Harwood, N. and Cummings, W.M. (1991) *Thermoelastic Stress Analysis*, IOP Publishing Ltd, Bristol.
 32. Dulieu-Barton, J.M. and Stanley, P. (1998) Development and applications of thermoelastic stress analysis. *J. Strain Anal. Eng. Des.*, 33, 93–104.

- Portland, J.M. (1993) The effect of surface stresses on the analysis of surface stresses. *Proc. Inst. Mech. Engrs.*, **206**, 1-9.
- Porter, J.M. (1993) Sources of error in the practical use of photoelasticity. *J. Strain Anal. Eng. Des.*, **38** (5), 405-417.
- Porter, J.M., and Patterson, E.A. (2003) A review of the general theory of thermoelastic stress analysis. *J. Strain Anal. Eng.*, **38** (5), 405-417.
- Porter, J.M., and Stanley, P. (1993) Progress in the thermoelastic evaluation of mixed-mode stress intensity factors. Proceedings of SEM Spring Conference on Experimental Mechanics, Dearborn, 1993, pp. 617-629.
- Porter, J.M., Fulton, M.C., and Stanley, P. (1999) The analysis of thermoelastic isopachic data from crack tip stress fields. *Fatigue Fract. Eng. Mater. Struct.*, **23**, 301-313.
- Porter, J.M., Nurse, A.D., and Patterson, A. (1997) On determining the stress intensity factors for mixed mode cracks from thermoelastic data. *Fatigue Fract. Eng. Mater. Struct.*, **20** (2), 217-226.
- Porter, J.M., and Marsavina, L. (2004) Thermoelastic investigations for fatigue life assessment. *Exp. Mech.*, **44**, 487-494.
- Porter, J.M., and Worden, K. (2002) Genetic identification of crack-tip parameters using thermoelastic isopachics. *Meas. Sci. Technol.*, **14**, 176-183.
- Porter, J.M., Patterson, E.A., Tomlinson, R.A., and Yates, J.R. (2004) Measuring stress intensity factors during fatigue crack growth using thermoelasticity. *Fatigue Fract. Eng. Mater. Struct.*, **27** (7), 571-584.
- Porter, J.M., Tomlinson, R.A., and Yates, J.R. (2008) T-stress determination using thermoelastic stress analysis. *J. Strain Anal.*, **43**, 529-537.
- Porter, J.M., and Stanley, P. (1996) Devices for the experimental determination of individual stresses from thermoelastic data. *J. Strain Anal. Eng. Des.*, **31**, 53-63.
- Porter, J.M., and Patterson, E.A. (1996) Full-field separation of stresses by combined thermo- and photoelasticity. *Exp. Mech.*, **36**, 318-324.
- Porter, J.M., and Patterson, E.A. (1998) Polymer coating as a strain witness in thermoelastic stress analysis. *J. Strain Anal. Eng. Des.*, **33**, 223-232.
- Porter, J.M., and Patterson, E.A. (1998) An alternative finite difference method for post-processing thermoelastic data using compatibility. *J. Strain Anal. Eng. Des.*, **33**, 437-447.
- Porter, J.M., Miles, J.P., and Rowlands, R.E. (1997) Image enhancement and stress separation of thermoelastically measured data under random loading. *Exp. Mech.*, **37** (3).
- Porter, J.M., and Yoshimura, M. (1997) Determination of all the stress components from measurements of the stress invariant by the thermoelastic stress method. *Int. J. Solids Struct.*, **34**, 4449-4461.
- Porter, J.M., Dulieu-Barton, J.M., and Savage, J. (2010) Design and commissioning of an experimental test rig to apply a full-scale pressure load on composite sandwich panels representative of aircraft secondary structure. *Meas. Sci. Technol.*, **21** (16), 015108.
- Porter, J.M., Dulieu-Barton, J.M., and Quinn, S. (2010) Thermoelastic stress and damage analysis using transient loading. *Exp. Mech.*, **50**, 1075-1086.

Chapter 9

- Dally, J.W. and Riley, W.F. (1991) *Experimental Stress Analysis*, McGraw-Hill, Inc., New York.
- Theocaris, P.S. and Gdoutos, E.E. (1979) *Matrix Theory of Photoelasticity*, Springer-Verlag, Berlin.
- Huard, S. (1997) *Polarisation of Light*, John Wiley & Sons, Ltd, Chichester.
- Frocht, M.M. (1948) *Photoelasticity*, Vols. I & II, John Wiley & Sons, Inc., New York.
- Durelli, A.J. and Shukla, A. (1983) Identification of Isochromatic Fringes. *Exp. Mech.*, **23** (1), 111-119.
- Cloud, G.L. (1995) *Optical Methods of Engineering Analysis*, Cambridge University Press, New York.
- Patterson, E.A. (2002) Digital photoelasticity: principles, practice and potential. *Strain*, **38**, 27-39.
- Ramesh, K. (2000) *Digital Photoelasticity - Advanced Techniques and Applications*, Springer, Berlin.
- Lesniak, J.R. and Zickel, M.J. (1998) Applications of automated grey-field polariscope. Proceedings of the SEM Spring